## Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in the instant application:

## Listing of Claims:

1. (Currently Amended) An instant messaging or chat (IM/chat) communication method comprising the steps of:

inserting in an instant message (IM) a voice conference identifier comprising a voice conference call list identifying conference call nodes;

embedding computer program code in said IM, wherein execution of said computer program code at a recipient node establishes a voice communications link between an IM sender and a recipient at the recipient node[[.]].

transmitting said IM from the sender to the recipient at the recipient node;

a recipient client detecting the voice conference identifier within the IM;

responsive to the detecting step, an IM interface of the recipient displaying a userselectable text or graphic symbol; and

responsive to a user-selection of said displayed text or graphic symbol, automatically establishing a voice communication link between the recipient and the sender using the computer program code embedded in said IM.

2

2. (Previously Presented) The IM/chat communication method of claim 1, wherein said voice communication link is a Voice over IP (VoIP) based voice communication links.

- 3. (Previously Presented) The IM/chat communication method of claim 1, wherein said voice communication link is a telephony-based voice communication link occurring over a public switched telephone network (PSTN).
- 4. (Original) The IM/chat communication method of claim 1, wherein said voice conference call list specifies telephone numbers for said identified conference call nodes.
- 5. (Original) The IM/chat communication method of claim 1, wherein said voice conference call list specifies IP addresses for said identified conference call nodes.
- 6. (Previously Presented) The IM/chat communication method of claim 1, said inserting step further comprising:

inserting in said IM/chat message a selectable symbol for initiating said voice communication link with said selected ones of said identified conference call nodes.

The IM/chat communication method of claim 1, said inserting step 7. (Original) further comprising:

inserting in said IM/chat message a plurality of selectable symbols, each said symbol for initiating a voice communications link with a selected one of said identified conference call nodes.

- 8. (Cancelled)
- chat (IM/chat) instant messaging OT 9. (Previously Presented) An communication method comprising the steps of:

detecting within an IM message conveyed from a sender to a recipient at a recipient node a voice conference identifier comprising a voice conference call list identifying conference call nodes;

responsive to detecting said voice conference identifier, displaying at least one selectable icon within an IM interface of said recipient; and

responsive to a selection of said at least one selectable icon by said recipient, extracting a software program embedded within said IM and executing said software program at the recipient node, said software program establishing a voice conference call between said recipient and said sender.

4

- 10. (Original) The IM/chat communication method of claim 9, wherein said displaying step displays a single icon and said establishing step establishes said voice conference call between said selected ones of said identified conference call nodes responsive to said selection of said single icon.
- 11. (Original) The IM/chat communication method of claim 9, wherein said displaying step displays a plurality of icons, each said icon corresponding to one of said voice conference call nodes, and wherein said establishing step establishes a voice communications link with said selected ones of said conference call nodes responsive to said selection of corresponding ones of said plurality of icons.
- 12. (Previously Presented) The IM/chat communication method of claim 9, wherein said software program is embedded within said IM, said establishing step further comprising:

extracting from said IM embedded software program.

13. (Original) The IM/chat communication method of claim 9, wherein said voice conference call list includes telephone numbers for said identified conference call nodes.

5

- 14. (Original) The IM/chat communication method of claim 9, wherein said voice conference call list includes IP addresses for said identified conference call nodes.
- 15. (Original) The IM/chat communication method of claim 9, wherein said voice conference call is established using Voice over IP (VoIP) based voice communications links.
- 16. (Original) The IM/chat communication method of claim 9, wherein said voice conference call is established using telephony-based voice communications links over a public switched telephone network (PSTN).
- 17. (Original) The IM/chat communication method of claim 9, said establishing step further comprising:

responsive to said selection of said at least one icon, determining a telephone number or an IP address for said selected ones of said identified conference call nodes based on said voice conference call list.

(WP276370;1) 6

18. (Previously Presented) An instant message included within a computer readable medium comprising:

header information, said header information identifying a sending node and a recipient node;

a message portion, said message portion displaying content from said sending node to said recipient node; and

an attachment portion, said attachment portion including a voice conference identifier comprising a voice conference call list specifying conference call nodes to be connected via a voice conference call, and an embedded software program;

wherein said recipient node is a conference call node, wherein said voice conference identifier is configured to be detected by an IM chat client and cause said IM chat client to responsively display a selectable item which when selected causes said embedded software program to be executed at said recipient node to establish a voice communication link among said conference call nodes.

## 19. (Cancelled)

20. (Currently Amended) A computer program included within a computer readable medium, said computer program having a plurality of code sections executable by a machine for causing the machine to perform the steps of:

inserting in an instant message (IM) a voice conference identifier comprising a voice conference call list identifying conference call nodes;

inserting in said IM a plurality of selectable symbols, each said symbol for initiating a voice communications link with said selected ones of said identified conference call nodes;

embedding computer program code in said IM, wherein said computer program code is executed at a recipient node in response to a user selecting one of said plurality of selectable symbols, wherein execution of said computer program code establishes said voice communications link:

transmitting said IM from a sender to a recipient at a recipient node;

a recipient client detecting the voice conference identifier within the IM;

responsive to the detecting step, an IM interface of the recipient displaying said plurality of selectable symbols user-selectable text or graphic symbol; and

responsive to a user-selection of one of said plurality of selectable symbols, automatically establishing a voice communication link between the recipient and the sender.

(WP276370;1) 8

- 21. (Previously Presented) The computer program of claim 20, wherein said voice communication link is a Voice over IP (VoIP) based voice communication links.
- 22. (Previously Presented) The computer program of claim 20, wherein said voice communication link is a telephony-based voice communication link occurring over a public switched telephone network (PSTN).
- 23. (Previously Presented) The computer program of claim 20, wherein said voice conference call list specifies telephone numbers for said identified conference call nodes.
- 24. (Previously Presented) The computer program of claim 20, wherein said voice conference call list specifies IP addresses for said identified conference call nodes.
- 25. (Previously Presented) The computer program of claim 20, said inserting step further comprising:

inserting in said IM/chat message a selectable symbol for initiating said voice communication link with said selected ones of said identified conference call nodes.

- 26. (Cancelled)
- 27. (Cancelled)
- 28. (Previously Presented) A computer program included within a computer readable medium, said computer program having a plurality of code sections executable by a machine for causing the machine to perform the steps of:

detecting within an IM message conveyed from a sender to a recipient at a recipient node a voice conference identifier comprising a voice conference call list identifying conference call nodes;

responsive to detecting said voice conference identifier, displaying at least one selectable icon within an IM interface of a recipient; and responsive to a selection of said at least one selectable icon, executing at the recipient node a software program embedded within said IM, said software program establishing step further comprising:

extracting from said IM embedded software program that establishes a voice conference call between said recipient and said sender.

- 29. (Previously Presented) The computer program of claim 28, wherein said displaying step displays a single icon and said establishing step establishes said voice conference call between said selected ones of said identified conference call nodes responsive to said selection of said single icon.
- 30. (Previously Presented) The computer program of claim 28, wherein said displaying step displays a plurality of icons, each said icon corresponding to one of said voice conference call nodes, and wherein said establishing step establishes a voice communications link with said selected ones of said conference call nodes responsive to said selection of corresponding ones of said plurality of icons.

## 31. (Cancelled)

{WP276370;1}

- 32. (Previously Presented) The computer program of claim 28, wherein said voice conference call list includes telephone numbers for said identified conference call nodes.
- 33. (Previously Presented) The computer program of claim 28, wherein said voice conference call list includes IP addresses for said identified conference call nodes.

11

- 34. (Previously Presented) The computer program of claim 28, wherein said voice conference call is established using Voice over IP (VoIP) based voice communications links.
- 35. (Previously Presented) The computer program of claim 28, wherein said voice conference call is established using telephony-based voice communications links over a public switched telephone network (PSTN).
- 36. (Previously Presented) The computer program of claim 28, said establishing step further comprising:

responsive to said recipient selecting said at least one icon, determining a telephone number or an IP address for said selected ones of said identified conference call nodes based on said voice conference call list.

- 37. (Previously Presented) An instant messaging or chat session client stored upon a computer readable medium comprising:
- a conventional IM processor, said conventional IM processor extracting and displaying message text encapsulated in a received IM; and,

a voice conference processor, said voice conference processor identifying a voice conference identifier encapsulated in said received IM, displaying at least one selectable icon in response to detecting said voice conference identifier, and responsive to a selection of said at least one selectable icon, executing a software program that establishes a voice conference call between selected conference call nodes specified by said voice conference identifier, wherein said voice conference call occurs over a telephony-based voice communication link.

13